

2Pass4sure

2Pass4sure

HOME

ALL VENDORS

GUARANTEE

FAQ

TESTIMONIALS

CART (0)

Reliable Certification Exam Questions and Exam Dumps!

Everything you need to prepare, learn & pass your certification exam easily.

365 days free updates. First attempt guaranteed success.

Select a vendor...

Select an test...

Your email address

Free Download Demo

We're not the only ones **happy** about 2Pass4sure Practice Material ...

62819+ customers in 100+ countries use 2Pass4sure Test Engine. Meet our customers.

VOREED

GetCustom

JET ORANGE

iCompany

Paradoxx

iMessenger



<http://www.2pass4sure.com/>

Reliable Certification Exam Questions and Exam Dumps - 2Pass4sure

Exam : HP0-M21

Title : HP Universal Configuration
Management Database Foundation

Vendors : HP

Version : DEMO

NO.1 What is the correct statement with regard to "Filter Related in DB"?

- A. Displays the related CIs from the current view
- B. Displays the related CIs from the entire CMDB
- C. Displays specific types of related CIs from the current view
- D. Displays specific types of related CIs from the entire CMDB

Answer: D

NO.2 How do you navigate between layers?

- A. by double-clicking on the Related in View in Related CIs tab
- B. by double-clicking on the Navigation button in the menu bar
- C. by selecting a layout from the Layout menu in the menu bar
- D. by double-clicking on the down arrow and the green up arrow

Answer: D

NO.3 Where would you edit the attribute value of a CI?

- A. on the Related CIs page of IT Universe Manager
- B. on the Topology Map page of IT Universe Manager
- C. on the Properties page of IT Universe Manager
- D. on the Properties page of View Manager

Answer: C

NO.4 What pattern is used for discovering IP's?

- A. ICMP
- B. WMI
- C. SNMP
- D. JMX

Answer: A

NO.5 What is the domain scope?

- A. A set of IP Addresses that contains credential information
- B. All the IPs that the probe can access to
- C. The Probe's IP
- D. The User's network Domain

Answer: A

NO.6 What information do patterns store?

- A. CIs and relationships to be created, Discovery Protocols, Parameters and scripts
- B. Destination list and Protocols and triggered CIs

- C. Only credentials
- D. Scripts and UCMDB connection

Answer: A

NO.7 What is the "View Sublayer" context menu used for?

- A. to include the CI Type instances and instances of all subtypes in the view
- B. to attach new related CI
- C. to view child CIs without navigating away from the present layer
- D. to view parent CIs without navigating away from the present layer

Answer: C

NO.8 What is the "Refresh View" menu item used for?

- A. to update the information in the IT Universe Manager
- B. to update the information in the view explorer
- C. to rebuild the view
- D. to refresh the browser

Answer: B

NO.9 When are view parameters created?

- A. when the TQL is created
- B. when the view is created
- C. when the TQL is calculated
- D. when the view is calculated

Answer: B

NO.10 What protocol(s) are used to discover J2EE environments?

- A. JMX
- B. JDBC and WMI
- C. SNMP or WMI
- D. JMX and ICMP

Answer: A

NO.11 You navigate to the topology map and notice that there are no labels to the CIs. What might be the reason for this?

- A. The Map overview option is selected.
- B. The Hide All Relationship option is selected.
- C. The Hide All Node Labels option is selected.

D. The Hide All Relationship Labels option is selected.

Answer: C

NO.12 What would you see in a Topology map if you set the "Number of Hops" to 4?

- A. CIs that may be traced back to the selected CI by four or fewer links
- B. CIs that are directly related to the selected CI
- C. CIs that may be traced back to the selected CI by four or more links
- D. CIs that may be traced back to the selected CI by three or fewer links

Answer: A

NO.13 What is a script used for?

- A. It is a part of the pattern and contains the connection code to connect to infrastructure resources and request information
- B. It is used for the TQL for triggered list
- C. It is used for the TQL command lines
- D. It is the code used for finding the result in the uCMDB

Answer: A

NO.14 What is a topology map?

- A. a manager used to create and organize views
- B. a graphical representation of a subset of the CMDB
- C. the editing pane where views are created
- D. a list representation of a subset of the CMDB

Answer: B

NO.15 Which is not part of a package?

- A. Class definitions (XML)
- B. TQL and Views
- C. Reports, Correlations and Enrichments
- D. Protocols and credentials

Answer: D

NO.16 You want to add a new CI to the view in the Topology View. Which are the possible actions you may take?

- A. Insert CI and Insert View
- B. Insert View and Insert Related CI

C. Insert CI and Insert Related CI D. Insert View only

Answer: C

NO.17 What types of information can be derived using Discovery?

- A. Config files, reading records from another system, looking at network data
- B. Config files ,OS and DB tables
- C. All network device
- D. All In-house and network software and hardware

Answer: A

NO.18 Which layer(s) does Discovery support or extract information from?

- A. Layers 2 through 7
- B. Only layers 2 and 7
- C. Layer 7 only (application)
- D. Layers 2,5 and 7

Answer: A

NO.19 How many sets of credential per protocol are allowed?

- A. Only one
- B. Many
- C. At least one
- D. Maximum two

Answer: B

NO.20 Which three components comprise a discovery task?

- A. User, server and pattern
- B. Server, DB and probe
- C. Pattern, script and credentials
- D. DB, pattern and protocol

Answer: B